AKD[®] BASIC Servo Drives

Two-in-one: Servo Drive with Programmable Control

With AKD BASIC you can achieve control functions and motion control directly on the axis, even without an external PLC. Independently of the development team, you can optimize the drive and implement customer-specific requirements quickly, safely, and without intervention in higher-level control systems. This shortens the testing phase and prevents any surprises during start-up. With the easy-to-learn programming language BASIC, you can develop personalized programs for interface and motion control functions in no time. The Kollmorgen WorkBench supports you with powerful development tools, such as the program editor with syntax check, with program templates, and comprehensive testing and debugging tools.

Execute Customer-specific Functions quickly

- Simple, easy-to-learn programming in BASIC
- Implementation without intervention in the machine control system
- Convenient development environment: Workbench, program download and upload with one tool!
- Less hardware and lower installation costs
- Quick start-up with autotuning
- Program protection with password protects against unauthorized intervention and secures your intellectual property

High Flexibility on the Axes

- 20 digital inputs and 13 digital outputs with I/O expansion
- 2 analog inputs and outputs with I/O expansion
- Saving of program and parameter sets onto SD cards; no PC necessary for start-up

AKD BASIC Interface Configurations

Interfaces	AKD BASIC basic device	AKD BASIC with I/O expansion
Digital inputs	8	20
Digital outputs	3	13
Analog inputs	1	2
Analog outputs	1	2



0

Increased Productivity: The Kollmorgen Workbench

With the Kollmorgen WorkBench you can see to all the work with and on the drive via a user interface – from the parameterization, configuration, optimization, and drive management, through to the programming of motion control and interface functions. The development environment for AKD BASIC forms part of the Kollmorgen WorkBench and contains all the tools for program development, testing, and troubleshooting.

- 1 The Kollmorgen WorkBench as a programming tool and axis management
- 2 Predefined commands and custom libraries simplify programming
- 3 The auto-complete function speeds up the work and reduces the frequency of errors by displaying the possible parameters in each case
- 4 Color-coding to safely distinguish between comments, parameters, print commands, and other types of code
- 5 Quick start-up through variable sharing with HMI
- 6 Intuitive operation thanks to a user-friendly menu structure
- 7 Debugger with jump instructions and breakpoints for controlling the program sequence in debug mode
- 8 Always clear thanks to the Windows user interface with configurable window arrangement

15 Mallananana MantaBanada		Debug - 🖉 - 🔳 🗄 🛔
Kollmorgen WorkBench File Edit View Tools Help		Step Into (F8)
O O Disable Stop 0 - Service Device Topology Stat Page If and the service of	2 - Poston Mode + Commendations Save To Drive Disconnect Pranc Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 6 1 into the drive. Program This page is used to edit the BASIC program file and 7 This is the NT for an ebsolute move reg This is the NT for an ebsolute move reg	C Step Over (F10) C Step Out (Shift+F11) C Toggle Breakpoint (F9) C Enable All Breakpoints C Enable All Breakpoints C Disable All Breakpoints
	25 If DIM3:STATE = 1 then 'registration move as an absolute move 4 26 print "Input 3 triggered" 28 Intr-DIMH = 1 29 'HONE 36 Hove.PosCommand = 0 2 31 ' 32 ' 33 ' Move.GoA65 34 ' 35 Hove.Act = 1000' Acceleration (drive units)	nesult = Inc] Add Increment IncrementAndMult IncrementAndMult IncrementAndMult
	Console	p
	Stating Demo Program DIN 1 - Re-start the move DIN 3 - Borcease Move RunSpeed DIN 3 - Dorcease Move RunSpeed DIN 5 - Dorcease Move RelativeDist DIN 5 - Dorcease Move Acc and Move Dec IN5 - Increase Move Acc and Move Dec Net - Increase Move Acc and Move Dec Net - Norese Move Acc and Net - Norese Move Acc and Net - Norese Move Acc	
	Error List Console Std Err Std Out	
Add New AKD	Ready Ln 39 CS STO: No Faults: No Warmings: AKD-T00306-NAAN-0000	Ch 14